#	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	0	714/$.ccls. and (noise or acoustic) with spectrum and rotor with blade$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:14		
2	BRS	63	(noise or acoustic) with spectrum and rotor with blade$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:14		
3	BRS	0	(detect$3 or diagnos$3) with (noise or acoustic) with spectrum and rotor with blade$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:15		
4	BRS	15	(noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:15		
5	BRS	10	(noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3 and compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:20		
6	BRS	4	(noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3 and deviat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:22		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7 BRS	0	(compar$4 or differen$2) with (reference or threshold or predetermined or predefined or preset$4) with (noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:23		
8 BRS	1	(reference or threshold or predefined or predetermined or preset$4) with (noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:23		
9 BRS	15	(noise$1 or acoustic) with spectrum and rotor with blade$1 with operat$3 and (deviat$3 or bias or differen$2 or compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 09:28		
10 BRS	73	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:04		
11 BRS	24954	702/31,,32,33,34,35,39,44, 48,54,182,183,185,188,191, for.108,for.137,for.155,fo r.158,for.159,for.166.ccls .	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
12 BRS	3862	73/116,587,589,593,659,660,801.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 10:59		
13 BRS	7	(noise$1 or acoustic) with wind with power with installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 11:39		
14 BRS	1554	416/31,114,118,228,500.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:36		
15 BRS	4	(noise$1 or acoustic) and rotor$1 with blade$1 with wind with power with installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 11:41		
16 BRS	1	"6065937".PN.	USPAT	2003/08/08 11:41		
17 BRS	9	(noise$1 or acoustic) and rotor$1 with blade$1 and wind with (energ$3 or power) with installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 12:46		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition n
18 BRS	12	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and wind	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 12:36		
19 BRS	90	rotor$1 with blade$1 and wind with (energ$3 or power) with installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:47		
20 BRS	1773	415/17,26,29,47-50.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:26		
21 BRS	3	rotor$1 with blade$1 and wind with (energ$3 or power) with installation and compar$4 with (reference or predetermined or predefined or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:33		
22 BRS	4	rotor$1 with blade$1 and wind with (energ$3 or power) with installation and (differen$2 or compar$4) with (reference or predetermined or predefined or preset$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:34		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
23	BRS	1842	416/23,24,31,114,118,228,5 00.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:36		
24	BRS	2	rotor$1 with blade$1 and wind with (energ$3 or power) with installation with automatic$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:49		
25	BRS	0	rotor$1 with blade$1 and wind with (energ$3 or power) with installation with manual$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:49		
26	BRS	2	rotor$1 with blade$1 and wind with (energ$3 or power) with installation with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:54		
27	BRS	2	blade$1 and wind with (energ$3 or power) with installation with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:50		
28	BRS	4	wind with (energ$3 or power) with installation with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:52		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
29	BRS	914	(energ$3 or power) with installation with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:52		
30	BRS	2	rotor$1 and blade$1 and wind with (energ$3 or power) with installation with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:54		
31	BRS	2	rotor$1 and blade$1 and wind with (energ$3 or power) with installat$3 with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 13:54		
32	BRS	22	rotor$1 and blade$1 and wind with (energ$3 or power) with installat$3 and automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 18:30		
33	BRS	2	wind with (energ$3 or power) with installat$3 with manual$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:16		
34	BRS	0	winbd with (energ$3 or power) with installat$3 and automatic$4 with manual$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:17		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
35 BRS	4	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and automatic$4 with (terminat$3 or stop or end)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:21		
36 BRS	4	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and automatic$4 with (terminat$3 or stop or end or "shut sown")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:22		
37 BRS	26	rotor$1 and blade$1 and (air or wind) with (energ$3 or power) with installat$3 and automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:32		
38 BRS	7	(noise$1 or acoustic) and rotor$1 and blade$1 and (air or wind) with (energ$3 or power) with installat$3 and automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:31		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
39	BRS	4	(noise$1 or acoustic or sound) and rotor$1 and blade$1 and wind with (energ$3 or power) with installat$3 and automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:31		
40	BRS	36	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and automatic$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:34		
41	BRS	2	"200200019765"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 15:51		
42	BRS	27	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and (differen$2 or compar$4) with (reference or predetermined or preset$4 or predefine$1 or threshold) and (repeat$3 or continous$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 18:29		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition n
43 BRS	6	(noise$1 or acoustic) and wind with (energ$3 or power) with installat$3 and (repeat$3 or continous$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 18:37		
44 BRS	8	(noise$1 or acoustic or sound$1) and wind with (energ$3 or power) with installat$3 and (repeat$3 or continous$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:03		
45 BRS	8	(noise$1 or acoustic or sound$1) and wind with (energ$3 or power) with installat$3 and (repetion or repetive$2 or repetious$2 or repeat$3 or continous$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:11		
46 BRS	4	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (ice or icing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:26		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
47 BRS	0	wind with (power or energ$3) with installation and rotor$1 with blade$1 and (acoustic or noise$1 or sound$1) with (spectrum$1 or waveform$1 or frequenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:29		
48 BRS	603	wind with (power or energ$3) with installation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:29		
49 BRS	90	wind with (power or energ$3) with installation and rotor$1 with blade$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:32		
50 BRS	9	wind with (power or energ$3) with installation and rotor$1 with blade$1 and (sound$1 or noise$1 or acoustic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:30		
51 BRS	1	wind with (power or energ$3) with installation and rotor$1 with blade$1 and (repetion or repetive$2 or repetious$2 or repeat$3 or continous$2) with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:33		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
52 BRS	3	wind with (power or energ$3) with installation and rotor$1 with blade$1 and (repetion or repetive$2 or repetious$2 or repeat$3 or continous$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 08:33		
53 BRS	1	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) with operat$3 and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:05		
54 BRS	1	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) with operat$3 and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:06		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
BRS	18	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:56		
BRS	11	rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) and aircraft$1 and (end$3 or stop$4 or terminat$3 or shutdown) with operat$3 with automati$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:13		
BRS	6	rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or shutdown) and aircraft$1 and (end$3 or stop$4 or terminat$3 or shutdown) with operat$3 with automati$5 and (noise$1 or acoustic or souncd$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:20		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
BRS	0	rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) with (end$3 or stop$4 or terminat$3 or shutdown) with operat$3 with automati$5 and (noise$1 or acoustic or souncd$1) and (end$3 or terminat$3 or shutdown) and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:20		
58						
BRS	0	rotor$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) with (end$3 or stop$4 or terminat$3 or shutdown) with operat$3 with automati$5 and (noise$1 or acoustic or souncd$1) and (end$3 or terminat$3 or shutdown) and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:21		
59						

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
BRS	0	rotor$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) with (end$3 or stop$4 or terminat$3 or shutdown$3) with automati$5 and (noise$1 or acoustic or soundc$1) and (end$3 or terminat$3 or shutdown) and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:21		
60						
BRS	0	rotor$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) with (end$3 or stop$4 or terminat$3 or shutdown$3) same (automati$5 and (noise$1 or acoustic or soundc$1)) and (end$3 or terminat$3 or shutdown) and aircraft$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:21		
61						
BRS	72	rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) and aircraft$1 and (end$3 or stop$4 or terminat$3 or shutdown) with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 11:04		
62						

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition n
63 BRS	1434	compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) and aircraft$1 and (end$3 or stop$4 or terminat$3 or shutdown) with operat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:30		
64 BRS	2	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) with operat$3 and third with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:57		
65 BRS	16	(noise$1 or acoustic) with (frequenc$3 or waveform$1 or spectrum$1) and rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) with operat$3 and third	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 10:58		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
BRS	21	66 rotor$1 with blade$1 and compar$4 with (reference or predetermined or preset$4 or predefine$1 or threshold) and (end$3 or terminat$3 or shutdown) and aircraft$1 and (end$3 or stop$4 or terminat$3 or shutdown) with operat$3 and second with third	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/09 11:04		

	Errors
99	0